

Appendix A. Frequency Tables for ITC France Four Page Summary

This document presents tables of data which correspond to the ITC France Four Page Summary. All tables are listed in chronological order of the original document, and present weighted point estimates with corresponding 95% confidence intervals.

“Valid responses” refer to all responses included in the calculation of statistics reported in the France Four Page Summary, where point estimates excluded item-specific non-responses; the only exceptions to this rule were for income, knowledge-based questions (where “Don’t know” is considered a valid response), or where otherwise explicitly indicated. “All responses” includes all participants, whether the response was a valid response, a non-response (such as “Refused” or “Don’t know”), or whether a response was missing altogether.

Reference table of statistics cited in the ITC France Four Page Summary

Report Page #	Report Figure #	Citation	Appendix Table #
2	Text only	Frequency of smoking	1
2	Figure 1	Smokers' level of addiction to cigarettes	2
2	Text only	Number of cigarettes smoked per day in daily smokers	3
2	Text only	Mean number of cigarettes smoked per day in daily smokers, by country	4
2	Text only	Whether smokers ever attempted to quit smoking	5
2	Text only	Smokers' intention to quit in the future	6
2	Text only	Smokers' level of regret for having started smoking	7
2	Text only	Smokers' opinions on whether the government should do more to help smokers quit	8
2	Text only	Whether smokers visited a doctor in the last 6 months	9
2	Text only	Whether smokers who visited a doctor received advice to quit smoking	10
2	Text only	Frequency that smokers thought in the last month about the harm caused by smoking	11
2	Text only	Whether price of cigarettes was a reason smokers thought about quitting smoking	12
2	Text only	Whether personal health was a reason smokers thought about quitting smoking	13
2	Text only	Frequency that smokers thought in the last month about money spent on cigarettes	14
2	Text only	Whether smokers spent essential household money on cigarettes	15
2	Text only	Whether setting an example for children was a reason smokers thought about quitting smoking	16

Reference table of statistics cited in the ITC France Four Page Summary (continued)

Report Page #	Report Figure #	Citation	Appendix Table #
2	Text only	Whether smoke's effect on non-smokers was a reason smokers thought about quitting smoking	17
3	Text only	Percentage of smokers and non-smokers who visited a café, pub or bar in last 6 months before French public smoking ban	18
3	Text only	Percentage of smokers and non-smokers who visited a café, pub or bar in last 6 months after French public smoking ban	19
3	Figure 2	Percentage of smokers and non-smokers who noticed smoking at last visit to a café, pub or bar before French public smoking ban	20
3	Figure 2	Percentage of smokers and non-smokers who noticed smoking at last visit to a café, pub or bar after French public smoking ban	21
3	Text only	Percentage of smokers and non-smokers who visited a restaurant in last 6 months before French public smoking ban	22
3	Text only	Percentage of smokers and non-smokers who visited a restaurant in last 6 months after French public smoking ban	23
3	Figure 2	Percentage of smokers and non-smokers who noticed smoking at last visit to a restaurant before French public smoking ban	24
3	Figure 2	Percentage of smokers and non-smokers who noticed smoking at last visit to a restaurant after French public smoking ban	25
3	Text only	Percentage of smokers and non-smokers who believe the French public smoking ban in cafés, pubs and bars is being enforced	26
3	Text only	Percentage of smokers and non-smokers who believe the French public smoking ban in restaurants is being enforced	27
3	Text only	Percentage of smokers and non-smokers who felt a public smoking ban was a good or very good thing, after the French public smoking ban	28

Reference table of statistics cited in the ITC France Four Page Summary (continued)

Report Page #	Report Figure #	Citation	Appendix Table #
3	Figure 3	Percentage of smokers and non-smokers who support or strongly support the French public smoking ban in cafés, pubs and bars, before the ban	29
3	Figure 3	Percentage of smokers and non-smokers who support or strongly support the French public smoking ban in cafés, pubs and bars, after the ban	30
3	Figure 3	Percentage of smokers and non-smokers who support or strongly support the French public smoking ban in restaurants, before the ban	31
3	Figure 3	Percentage of smokers and non-smokers who support or strongly support the French public smoking ban in restaurants, after the ban	32
3	Figure 4	Percentage of smokers who noticed warning labels on cigarette packs in the last month, by country	33
3	Text only	Percentage of smokers who noticed warning labels on cigarette packs in the last month	34
3	Text only	Frequency that warning labels made smokers think about the health risks of smoking	35

Table 1. Frequency of smoking.

Derived Variable: Smoking status.

Frequency	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Daily smokers	1564	91.4	(90.0, 92.7)	91.4	(90.0, 92.7)
Weekly smokers	125	6.5	(5.3, 7.7)	6.5	(5.3, 7.7)
Monthly smokers	46	2.1	(1.5, 2.8)	2.1	(1.5, 2.8)

Table 2. Smokers' level of addiction to cigarettes.

Q: Do you consider yourself addicted to cigarettes?

Addiction	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Not at all	166	9.7	(8.1, 11.3)	9.7	(8.1, 11.3)
Yes, somewhat addicted	617	36.3	(33.7, 38.8)	36.2	(33.6, 38.8)
Yes, very addicted	949	54.0	(51.4, 56.7)	54.0	(51.3, 56.6)
Don't know	3	.	. .	0.1	(0.0, 0.3)

Table 3. Number of cigarettes smoked per day in daily smokers.

Q: On average, how many cigarettes do you smoke each day, including both [factory-made/packet] and roll-your-own cigarettes?

Cigarettes	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Less than 10 cigarettes	743	47.3	(44.5, 50.1)	43.2	(40.6, 45.9)
11 to 20 cigarettes	690	44.3	(41.5, 47.1)	40.5	(37.9, 43.1)
21 to 30 cigarettes	105	6.7	(5.3, 8.0)	6.1	(4.8, 7.4)
More than 30 cigarettes	26	1.7	(1.0, 2.4)	1.5	(0.9, 2.2)
Non-daily smoker	171	.	. .	8.6	(7.3, 10.0)

Table 4. Mean number of cigarettes smoked daily in daily smokers, by country.

Q: On average, how many cigarettes do you smoke each day, including both [factory-made/packet] and roll-your-own cigarettes?

Country	N	Mean	(95% CI)
Mexico	834	9.6	(8.7, 10.4)
Thailand	1644	12.1	(10.8, 13.3)
France	1564	13.5	(13.1, 14.0)
Malaysia	1414	13.8	(13.1, 14.5)
Germany	1376	16.3	(15.8, 16.8)
Uruguay	944	16.5	(15.6, 17.4)
United Kingdom	1622	16.6	(16.1, 17.1)
Canada	1645	17.2	(16.7, 17.7)
Scotland	478	18.3	(17.4, 19.3)
China	4418	18.3	(17.8, 18.8)
South Korea	951	18.6	(18.0, 19.3)
Ireland	533	18.7	(17.0, 20.3)
Australia	1677	18.7	(18.2, 19.3)
United States	1704	18.8	(18.2, 19.5)

Table 5. Whether smokers have ever attempted to quit smoking.

Q: Have you ever tried to quit smoking?

Ever attempted	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Yes	1269	71.7	(69.3, 74.1)	71.6	(69.2, 74.1)
No	465	28.3	(25.9, 30.7)	28.3	(25.9, 30.7)
Don't know	1	.	. .	0.1	(0.0, 0.2)

Table 6. Smokers' intention to quit smoking in the future.

Q: Are you planning to quit smoking?

Intentions	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Within the next month	226	12.8	(11.0, 14.6)	12.6	(10.9, 14.4)
Within the next 6 months	434	25.6	(23.2, 27.9)	25.3	(23.0, 27.6)
Sometime beyond 6 months	586	34.5	(31.9, 37.0)	34.1	(31.6, 36.6)
Not currently planning to quit	468	27.1	(24.7, 29.5)	26.8	(24.5, 29.2)
Don't know	21	.	. .	1.1	(0.6, 1.7)

Table 7. Smokers' opinions: "If you could do it over again, you would not start smoking."

Q: Please tell me whether you [agree with this statement]... If you had to do it over again, you would not have started smoking.

Opinion	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Strongly agree	1309	75.4	(73.1, 77.7)	75.3	(72.9, 77.6)
Agree	215	12.3	(10.6, 14.1)	12.3	(10.6, 14.1)
Neither agree nor disagree	52	2.8	(1.9, 3.7)	2.8	(1.9, 3.7)
Disagree	77	4.7	(3.5, 5.9)	4.7	(3.5, 5.8)
Strongly disagree	80	4.8	(3.7, 5.9)	4.8	(3.6, 5.9)
Don't know	2	.	. .	0.2	(0.0, 0.4)

Table 8. Smokers' opinions on whether the government should do more to help smokers quit.

Q: Please tell me whether you [agree with this statement]... The government should do more to help smokers give up smoking.

Opinion	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Strongly agree	636	37.3	(34.7, 39.9)	37.2	(34.7, 39.8)
Agree	438	25.7	(23.3, 28.1)	25.7	(23.3, 28.0)
Neither agree nor disagree	147	8.5	(7.0, 10.0)	8.5	(7.0, 10.0)
Disagree	251	13.8	(12.0, 15.6)	13.8	(12.0, 15.6)
Strongly disagree	259	14.7	(12.8, 16.5)	14.6	(12.8, 16.5)
Don't know	4	.	. .	0.2	(0.0, 0.4)

Table 9. Whether smokers visited a doctor in the last 6 months.

Q: In the last 6 months, have you visited a doctor or other health professional, for smoking or another reason?

Visited	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Yes	1101	62.3	(59.7, 64.9)	62.3	(59.7, 64.9)
No	633	37.7	(35.1, 40.3)	37.7	(35.1, 40.3)
Don't know	1	.	. .	0.0	(0.0, 0.1)

Table 10. Whether smokers who visited a doctor received advice to quit smoking.

Q: During any visit to the doctor or other health professional in the last 6 months, did you receive advice to quit smoking?

Received advice	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Yes	347	32.6	(29.5, 35.8)	20.3	(18.2, 22.4)
No	754	67.4	(64.2, 70.5)	42.0	(39.3, 44.6)
Did not visit a doctor in last 6 months	634	.	. .	37.7	(35.1, 40.3)

Table 11. Frequency that smokers thought in the last month about the harm caused by smoking.

Q: In the last month, how often, if at all, did you think about the harm your smoking might be doing to you?

Frequency	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Never	199	11.8	(10.0, 13.5)	11.8	(10.0, 13.5)
Rarely	173	10.4	(8.8, 12.1)	10.4	(8.8, 12.1)
Sometimes	386	22.4	(20.2, 24.7)	22.4	(20.2, 24.7)
Often	635	36.3	(33.8, 38.9)	36.3	(33.8, 38.9)
Very often	342	19.0	(17.0, 21.1)	19.0	(17.0, 21.1)

Table 12. Whether the price of cigarettes was a reason that smokers thought about quitting smoking.

Q: In the past 6 months, [has the price of cigarettes] led you to think about quitting?

Opinion	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Not at all	644	38.2	(35.7, 40.8)	38.2	(35.7, 40.8)
Somewhat	567	31.4	(29.0, 33.9)	31.4	(29.0, 33.9)
Very much	524	30.3	(27.8, 32.8)	30.3	(27.8, 32.8)

Table 13. Whether personal health was a reason that smokers thought about quitting smoking.

Q: In the past 6 months, [has concern for your health] led you to think about quitting?

Opinion	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Not at all	900	52.4	(49.7, 55.0)	52.4	(49.7, 55.0)
Somewhat	519	29.8	(27.3, 32.2)	29.8	(27.3, 32.2)
Very much	316	17.9	(15.9, 19.9)	17.9	(15.9, 19.9)

Table 14. Frequency that smokers thought in the last month about money spent on cigarettes.

Q: In the last month, how often, if at all, did you think about the money you spend on smoking?

Frequency	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Never	283	15.8	(13.9, 17.7)	15.8	(13.9, 17.7)
Rarely	195	11.1	(9.4, 12.8)	11.1	(9.4, 12.8)
Sometimes	264	15.0	(13.1, 16.9)	15.0	(13.1, 16.9)
Often	521	29.9	(27.4, 32.3)	29.9	(27.4, 32.3)
Very often	472	28.3	(25.8, 30.7)	28.3	(25.8, 30.7)

Table 15. Whether smokers spent essential household money on cigarettes.

Q: In the last 6 months, have you spent money on cigarettes that you knew would be better spent on household essentials like food?

Spent money	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Yes	579	33.0	(30.5, 35.5)	33.0	(30.5, 35.5)
No	1154	67.0	(64.5, 69.5)	66.9	(64.4, 69.4)
Don't know	2	.	. .	0.1	(0.0, 0.3)

Table 16. Whether setting an example for children was a reason that smokers thought about quitting smoking.

Q: In the past 6 months, [has setting an example for children] led you to think about quitting?

Opinion	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Not at all	342	20.0	(17.9, 22.2)	20.0	(17.8, 22.2)
Somewhat	543	30.9	(28.5, 33.3)	30.9	(28.4, 33.3)
Very much	847	49.1	(46.4, 51.7)	49.0	(46.3, 51.7)
Don't know	3	.	. .	0.1	(0.0, 0.3)

Table 17. Whether smoke's effect on non-smokers was a reason that smokers thought about quitting smoking.

Q: In the past 6 months, [has concern about the effect of your cigarette smoke on non-smokers] led you to think about quitting?

Opinion	N	Valid Responses		All Responses	
		%	95% CI	%	95% CI
Not at all	702	41.1	(38.5, 43.7)	41.1	(38.4, 43.7)
Somewhat	614	36.0	(33.4, 38.5)	35.9	(33.4, 38.5)
Very much	417	22.9	(20.7, 25.1)	22.9	(20.7, 25.1)
Don't know	2	.	. .	0.1	(0.0, 0.4)

Table 18. Frequency that smokers and non-smokers visited a café, pub or bar in last 6 months, before the French public smoking ban.

Q: In the last 6 months, how often have you visited a café, bar or pub where you live?

Smoking Status	Frequency	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	More than once a week	307	18.6	(16.5, 20.7)	18.6	(16.5, 20.7)
	About once a week	331	19.8	(17.6, 21.9)	19.8	(17.6, 21.9)
	About once or twice a month	389	21.6	(19.5, 23.8)	21.6	(19.5, 23.8)
	Less than once a month	350	19.5	(17.4, 21.6)	19.5	(17.4, 21.6)
	Never	357	20.5	(18.4, 22.7)	20.5	(18.4, 22.7)
	Don't know	1	.	. .	0.0	(0.0, 0.1)
Non-smoker	More than once a week	47	10.5	(7.4, 13.7)	10.5	(7.4, 13.7)
	About once a week	59	12.4	(9.2, 15.6)	12.4	(9.2, 15.6)
	About once or twice a month	128	22.5	(18.6, 26.4)	22.5	(18.6, 26.4)
	Less than once a month	136	25.1	(20.9, 29.3)	25.1	(20.9, 29.3)
	Never	155	29.5	(25.0, 34.0)	29.5	(25.0, 34.0)
	Don't know	0

Table 19. Frequency that smokers and non-smokers visited a café, pub or bar in last 6 months, after the French public smoking ban.

Q: Since the recent smoking ban came into effect - that is, since January 1st of this year - how often have you visited a café or bar?

Smoking Status	Frequency	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	More than once a week	205	13.3	(11.3, 15.2)	13.3	(11.3, 15.2)
	About once a week	272	16.8	(14.6, 18.9)	16.8	(14.6, 18.9)
	About once or twice a month	399	24.2	(21.8, 26.6)	24.2	(21.8, 26.6)
	Less than once a month	432	23.4	(21.1, 25.7)	23.4	(21.1, 25.6)
	Never	395	22.4	(20.1, 24.7)	22.4	(20.1, 24.6)
	Don't know	1	.	. .	0.1	(0.0, 0.2)
Non-smoker	More than once a week	33	7.6	(4.8, 10.4)	7.6	(4.8, 10.4)
	About once a week	61	12.8	(9.5, 16.1)	12.8	(9.5, 16.1)
	About once or twice a month	135	25.2	(20.9, 29.5)	25.2	(20.9, 29.5)
	Less than once a month	140	24.0	(19.9, 28.1)	24.0	(19.9, 28.1)
	Never	146	30.4	(25.5, 35.3)	30.4	(25.5, 35.3)
	Don't know	0

Table 20. Percentage of smokers and non-smokers who noticed smoking at last visit to a café, pub or bar, before the French public smoking ban.

Q: The last time you [visited], were people smoking inside the café, bar or pub?

Smoking Status	Noticed	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	Yes	1331	96.8	(95.7, 97.8)	76.7	(74.5, 79.0)
	No	43	3.2	(2.2, 4.3)	2.6	(1.7, 3.4)
	Don't know	3	.	. .	0.2	(0.0, 0.4)
	Did not visit in last 6 months	358	.	. .	20.6	(18.4, 22.7)
Non-smoker	Yes	337	93.0	(90.3, 95.8)	64.9	(60.3, 69.6)
	No	30	7.0	(4.2, 9.7)	4.9	(2.9, 6.8)
	Don't know	3	.	. .	0.7	(0.0, 1.6)
	Did not visit in last 6 months	155	.	. .	29.5	(25.0, 34.0)

Table 21. Percentage of smokers and non-smokers who noticed smoking at last visit to a café, pub or bar, after the French public smoking ban.

Q: The last time you visited, were people smoking inside the café or bar?

Smoking Status	Noticed	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	Yes	51	4.1	(2.8, 5.4)	3.2	(2.2, 4.2)
	No	1256	95.9	(94.6, 97.2)	74.1	(71.7, 76.5)
	Don't know	1	.	. .	0.3	(0.0, 0.8)
	Did not visit in last 6 months	396	.	. .	22.5	(20.2, 24.7)
Non-smoker	Yes	16	5.0	(2.2, 7.7)	3.5	(1.5, 5.4)
	No	353	95.0	(92.3, 97.8)	66.2	(61.2, 71.2)
	Don't know	0
	Did not visit in last 6 months	146	.	. .	30.4	(25.5, 35.3)

Table 22. Frequency that smokers and non-smokers visited a restaurant in last 6 months, before the French public smoking ban.

Q: In the last 6 months, how often have you visited a restaurant where you live?

Smoking Status	Frequency	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	More than once a week	156	8.7	(7.2, 10.2)	8.7	(7.2, 10.2)
	About once a week	192	11.2	(9.5, 12.9)	11.2	(9.5, 12.9)
	About once or twice a month	603	35.4	(32.9, 38.0)	35.4	(32.9, 38.0)
	Less than once a month	565	32.5	(30.0, 35.0)	32.5	(30.0, 35.0)
	Never	219	12.2	(10.5, 13.9)	12.2	(10.5, 13.9)
	Don't know	0
Non-smoker	More than once a week	31	6.0	(3.7, 8.4)	6.0	(3.7, 8.4)
	About once a week	36	7.8	(5.0, 10.5)	7.8	(5.0, 10.5)
	About once or twice a month	196	36.5	(31.9, 41.1)	36.4	(31.8, 41.1)
	Less than once a month	192	36.4	(31.7, 41.1)	36.3	(31.7, 41.0)
	Never	69	13.3	(9.9, 16.7)	13.3	(9.9, 16.7)
	Don't know	1	.	. .	0.2	(0.0, 0.5)

Table 23. Frequency that smokers and non-smokers visited a restaurant in last 6 months, after the French public smoking ban.

Q: Since the recent smoking ban came into effect - that is, since January 1st of this year - how often have you visited a restaurant?

Smoking Status	Frequency	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	More than once a week	149	8.6	(7.1, 10.1)	8.6	(7.1, 10.1)
	About once a week	161	9.4	(7.8, 10.9)	9.3	(7.8, 10.9)
	About once or twice a month	608	36.5	(33.8, 39.2)	36.5	(33.8, 39.2)
	Less than once a month	627	36.2	(33.6, 38.9)	36.2	(33.6, 38.8)
	Never	158	9.3	(7.7, 10.9)	9.3	(7.7, 10.9)
	Don't know	1	.	. .	0.1	(0.0, 0.2)
Non-smoker	More than once a week	29	4.8	(2.9, 6.7)	4.8	(2.9, 6.7)
	About once a week	47	10.1	(7.0, 13.2)	10.1	(7.0, 13.2)
	About once or twice a month	213	42.3	(37.2, 47.3)	42.3	(37.2, 47.3)
	Less than once a month	180	33.3	(28.6, 38.0)	33.3	(28.6, 38.0)
	Never	46	9.5	(6.3, 12.7)	9.5	(6.3, 12.7)
	Don't know	0

Table 24. Percentage of smokers and non-smokers who noticed smoking at last visit to a restaurant, before the French public smoking ban.

Q: The last time you [visited], was there smoking inside the restaurant?

Smoking Status	Noticed	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	Yes	1066	70.8	(68.2, 73.4)	62.0	(59.4, 64.6)
	No	444	29.2	(26.6, 31.8)	25.6	(23.3, 27.9)
	Don't know	6	.	. .	0.2	(0.0, 0.5)
	Did not visit in last 6 months	219	.	. .	12.2	(10.5, 13.9)
Non-smoker	Yes	255	56.8	(51.6, 62.0)	48.7	(43.8, 53.5)
	No	195	43.2	(38.0, 48.4)	37.0	(32.3, 41.7)
	Don't know	5	.	. .	0.9	(0.1, 1.8)
	Did not visit in last 6 months	70	.	. .	13.4	(10.0, 16.8)

Table 25. Percentage of smokers and non-smokers who noticed smoking at last visit to a restaurant, after the French public smoking ban.

Q: The last time you visited, were people smoking inside the restaurant or café?

Smoking Status	Noticed	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	Yes	27	2.0	(1.1, 2.8)	1.8	(1.0, 2.6)
	No	1517	98.0	(97.2, 98.9)	88.8	(87.1, 90.6)
	Don't know	1	.	. .	0.0	(0.0, 0.1)
	Did not visit in last 6 months	159	.	. .	9.4	(7.8, 11.0)
Non-smoker	Yes	13	2.7	(1.1, 4.3)	2.4	(1.0, 3.9)
	No	454	97.3	(95.7, 98.9)	87.6	(84.2, 91.1)
	Don't know	2	.	. .	0.4	(0.0, 1.1)
	Did not visit in last 6 months	46	.	. .	9.5	(6.3, 12.7)

Table 26. Percentage of smokers and non-smokers who believe the French public smoking ban in cafés, pubs and bars is being enforced.

Q: In your experience, to what extent are your local cafés and bars enforcing the recent smoking ban?

Smoking Status	Enforced	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	Not at all	7	0.7	(0.1, 1.2)	0.5	(0.1, 1.0)
	Somewhat	47	4.1	(2.7, 5.5)	3.2	(2.1, 4.3)
	Totally	1253	95.2	(93.7, 96.7)	73.8	(71.4, 76.2)
	Don't Know	1	.	. .	0.1	(0.0, 0.2)
	Did not visit in last 6 months	396	.	. .	22.5	(20.2, 24.7)
Non-smoker	Not at all	10	2.6	(0.6, 4.7)	1.8	(0.4, 3.3)
	Somewhat	37	10.9	(7.3, 14.5)	7.5	(5.0, 10.1)
	Totally	320	86.5	(82.5, 90.5)	60.0	(54.9, 65.0)
	Don't Know	2	.	. .	0.3	(0.0, 0.7)
	Did not visit in last 6 months	146	.	. .	30.4	(25.5, 35.3)

Table 27. Percentage of smokers and non-smokers who believe the French public smoking ban in restaurants is being enforced.

Q: In your experience to what extent are your local restaurants enforcing the smoking ban?

Smoking Status	Enforced	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	Not at all	9	0.6	(0.1, 1.0)	0.5	(0.1, 0.9)
	Somewhat	29	1.8	(1.0, 2.5)	1.6	(0.9, 2.3)
	Totally	1506	97.7	(96.8, 98.5)	88.4	(86.7, 90.2)
	Don't Know	1	.	. .	0.1	(0.0, 0.2)
	Did not visit in last 6 months	159	.	. .	9.4	(7.8, 11.0)
Non-smoker	Not at all	8	1.6	(0.3, 2.9)	1.4	(0.3, 2.6)
	Somewhat	26	6.0	(3.4, 8.6)	5.4	(3.1, 7.7)
	Totally	433	92.4	(89.6, 95.2)	83.5	(79.6, 87.4)
	Don't Know	2	.	. .	0.1	(0.0, 0.3)
	Did not visit in last 6 months	46	.	. .	9.5	(6.3, 12.7)

Table 28. Smokers' and non-smokers' opinion of a public smoking ban, after the French public smoking ban.

Q: Overall, would you say that a ban on smoking in restaurants, cafés, bars and pubs, and other public places is a good thing or a bad thing?

Smoking Status	Opinion	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	Very bad	56	3.4	(2.4, 4.4)	3.4	(2.4, 4.4)
	Bad	180	11.3	(9.5, 13.1)	11.3	(9.5, 13.1)
	Good	669	38.6	(36.0, 41.3)	38.6	(35.9, 41.3)
	Very good	798	46.7	(43.9, 49.4)	46.7	(43.9, 49.4)
	Refused	1	.	. .	0.1	(0.0, 0.2)
	Don't know	0
Non-smoker	Very bad	8	1.7	(0.4, 3.1)	1.7	(0.4, 3.1)
	Bad	15	3.3	(1.5, 5.1)	3.3	(1.5, 5.1)
	Good	159	30.3	(25.6, 35.0)	30.3	(25.6, 35.0)
	Very good	332	64.6	(59.7, 69.5)	64.4	(59.5, 69.3)
	Refused	0
	Don't know	1	.	. .	0.3	(0.0, 0.9)

Table 29. Smokers' and non-smokers' level of support for the French public smoking ban in cafés, pubs and bars, before the ban.

Q: Do you support or oppose a French total ban on smoking inside cafés, bars and pubs?

Smoking Status	Support	N	<u>Valid Responses</u>		<u>All Responses</u>	
			%	<u>95% CI</u>	%	<u>95% CI</u>
Smoker	Strongly support	203	11.7	(10.0, 13.4)	11.7	(10.0, 13.4)
	Support	284	16.3	(14.3, 18.2)	16.2	(14.3, 18.2)
	Oppose	658	37.1	(34.6, 39.7)	37.1	(34.5, 39.6)
	Strongly oppose	587	34.9	(32.3, 37.5)	34.8	(32.2, 37.4)
	Don't know	3	.	. .	0.2	(0.0, 0.4)
Non-smoker	Strongly support	163	31.8	(27.3, 36.3)	31.7	(27.2, 36.2)
	Support	170	32.7	(28.1, 37.3)	32.6	(28.0, 37.2)
	Oppose	145	26.5	(22.3, 30.8)	26.5	(22.3, 30.7)
	Strongly oppose	44	9.0	(6.0, 11.9)	8.9	(6.0, 11.8)
	Don't know	3	.	. .	0.3	(0.0, 0.6)

Table 30. Smokers' and non-smokers' level of support for the French public smoking ban in cafés, pubs and bars, after the ban.

Q: Do you support or oppose the French total ban on smoking inside cafés and bars?

Smoking Status	Support	N	<u>Valid Responses</u>		<u>All Responses</u>	
			%	<u>95% CI</u>	%	<u>95% CI</u>
Smoker	Strongly support	544	32.8	(30.2, 35.4)	32.8	(30.2, 35.4)
	Support	497	27.6	(25.2, 30.1)	27.6	(25.2, 30.1)
	Oppose	448	26.0	(23.5, 28.4)	26.0	(23.5, 28.4)
	Strongly oppose	214	13.6	(11.6, 15.6)	13.6	(11.6, 15.6)
	Don't know	1	.	. .	0.0	(0.0, 0.1)
Non-smoker	Strongly support	271	53.4	(48.3, 58.4)	53.1	(48.0, 58.2)
	Support	159	30.4	(25.7, 35.1)	30.3	(25.6, 35.0)
	Oppose	59	11.3	(7.9, 14.6)	11.2	(7.9, 14.5)
	Strongly oppose	24	5.0	(2.7, 7.2)	4.9	(2.7, 7.2)
	Don't know	2	.	. .	0.4	(0.0, 1.1)

Table 31. Smokers' and non-smokers' level of support for the French public smoking ban in restaurants, before the ban.

Q: Do you support or oppose a French total ban on smoking inside restaurants?

Smoking Status	Support	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	Strongly support	441	25.1	(22.9, 27.4)	25.1	(22.9, 27.4)
	Support	455	26.0	(23.7, 28.3)	26.0	(23.7, 28.3)
	Oppose	458	27.6	(25.2, 30.0)	27.6	(25.1, 30.0)
	Strongly oppose	380	21.2	(19.1, 23.4)	21.2	(19.1, 23.4)
	Don't know	1	.	. .	0.1	(0.0, 0.2)
Non-smoker	Strongly support	256	49.1	(44.2, 54.0)	49.0	(44.1, 53.8)
	Support	154	30.0	(25.5, 34.5)	29.9	(25.4, 34.4)
	Oppose	88	16.1	(12.6, 19.6)	16.1	(12.6, 19.5)
	Strongly oppose	25	4.8	(2.7, 7.0)	4.8	(2.7, 6.9)
	Don't know	2	.	. .	0.2	(0.0, 0.5)

Table 32. Smokers' and non-smokers' level of support for the French public smoking ban in restaurants, after the ban.

Q: Do you support or oppose the French total ban on smoking inside restaurants?

Smoking Status	Support	N	Valid Responses		All Responses	
			%	95% CI	%	95% CI
Smoker	Strongly support	784	46.6	(43.9, 49.4)	46.6	(43.8, 49.3)
	Support	570	32.3	(29.8, 34.9)	32.3	(29.8, 34.8)
	Oppose	233	14.3	(12.2, 16.3)	14.2	(12.2, 16.2)
	Strongly oppose	115	6.8	(5.4, 8.2)	6.8	(5.4, 8.2)
	Refused	1	.	. .	0.0	(0.0, 0.1)
	Don't know	1	.	. .	0.1	(0.0, 0.2)
Non-smoker	Strongly support	317	61.5	(56.5, 66.5)	61.5	(56.5, 66.5)
	Support	153	29.0	(24.4, 33.6)	29.0	(24.4, 33.6)
	Oppose	32	7.0	(4.1, 9.8)	7.0	(4.1, 9.8)
	Strongly oppose	13	2.6	(0.9, 4.2)	2.6	(0.9, 4.2)
	Refused	0
	Don't know	0

Table 33. Percentage of smokers who noticed warning labels on cigarette packs in the last month, by country.

Q: In the last month, how often have you noticed the warning labels on cigarettes packages or on roll-your-own packs?

Country	Very often/Often			Never/Not Often/Otherwise		
	N	%	(95% CI)	N	%	(95% CI)
United States	544	27.5	(25.1, 30.0)	1489	72.5	(70.0, 74.9)
Mexico	414	40.0	(34.0, 46.1)	661	60.0	(53.9, 66.0)
Germany	638	41.0	(38.1, 43.9)	877	59.0	(56.1, 61.9)
South Korea	432	41.8	(38.3, 45.3)	570	58.2	(54.7, 61.7)
Canada	913	44.9	(42.3, 47.5)	1109	55.1	(52.5, 57.7)
Malaysia	760	49.4	(42.2, 56.7)	873	50.6	(43.3, 57.8)
China	2321	49.5	(46.2, 52.8)	2403	50.5	(47.2, 53.8)
Ireland	298	50.6	(45.4, 55.8)	282	49.4	(44.2, 54.6)
United Kingdom	1176	58.8	(56.2, 61.4)	841	41.2	(38.6, 43.8)
Uruguay	629	65.7	(60.9, 70.5)	356	34.3	(29.5, 39.1)
Scotland	340	65.8	(59.5, 72.0)	167	34.2	(28.0, 40.5)
Thailand	1375	68.0	(63.0, 73.1)	677	32.0	(26.9, 37.0)
Australia	1464	68.1	(65.8, 70.4)	704	31.9	(29.6, 34.2)
France	1185	68.8	(66.4, 71.2)	550	31.2	(28.8, 33.6)

Table 34. Percentage of smokers who noticed warning labels on cigarette packs in the last month.

Q: In the last month, how often have you noticed the warning labels on cigarettes packages or on roll-your-own packs?

Noticed	<u>Valid Responses</u>			<u>All Responses</u>	
	N	%	<u>95% CI</u>	%	<u>95% CI</u>
Never	170	9.6	(8.1, 11.1)	9.6	(8.1, 11.1)
Rarely	194	11.7	(10.0, 13.4)	11.7	(10.0, 13.4)
Sometimes	186	9.9	(8.4, 11.5)	9.9	(8.4, 11.5)
Often	509	30.4	(27.9, 32.9)	30.4	(27.9, 32.9)
Very often	676	38.4	(35.8, 41.0)	38.4	(35.8, 41.0)

Table 35. Frequency that warning labels made smokers think about the health risks of smoking.

Q: To what extent, if at all, do the warning labels make you think about the health risks of smoking?

Frequency	N	<u>Valid Responses</u>		<u>All Responses</u>	
		%	<u>95% CI</u>	%	<u>95% CI</u>
Not at all	184	10.4	(8.8, 12.0)	10.4	(8.8, 12.0)
A little	142	8.2	(6.8, 9.7)	8.2	(6.8, 9.7)
Somewhat	544	31.3	(28.8, 33.8)	31.3	(28.8, 33.8)
A lot	861	50.0	(47.3, 52.7)	49.9	(47.2, 52.6)
Don't know	4	.	. .	0.2	(0.0, 0.4)